Medicinal Experiments:

OR, A

COLLECTION

OF

Choice Remedies,

Chiefly *Simple*, and eaſily Prepared: Uſeful in Families, and fitted for the Service of Country People.

By the Honourable R. BOYLE *Eſq; late Fellow of the* Royal Society.

The Third and Laſt Volume.

Publiſhed from the Author's Original Manuſcripts.

Whereunto is added,

Several other Uſeful Notes explicatory of the ſame.

LONDON,

Printed for *J. Taylor*, at the *Ship* in St. *Paul's* Church-Yard, 1694.

Licensed,

Novemb. 24th 1693.

Edward Cooke.

THE PREFACE.

THE *Honourable* Robert Boyle *Esq; Deceased, hath gratified the whole Race of Mankind, by his Public Labours. The World may be divided into the* Learned *and the* Unlearned *Part thereof. The* former *he much ob-*

liged by his Elaborate Diſcourſes on ſeveral Subjects: The latter, *which are far more numerous, he hath condeſcended alſo to oblige, by conſulting their Health in the enſuing Receipts. For, whereas the Ordinary and Inferiour Sort of Men, either have not Ability (by reaſon of the Tenuity of their Eſtates) to reward Phyſicians; or by reaſon of the Remoteneſs of their Habi-*

Habitations, have not Opportunity to Consult them: Here they have Remedies *provided to their Hands, and almost at their own Doors; some of which the Learned* Collector *had Experience of Himself; and* others *were recommended to him by Credible Persons, who had Experienced their Benefit in themselves, or their Friends.*

And though those ways of Probation might be sufficient to justify their Publication; yet such was the scrupulous Care and Zeal of this Author, that he would not suffer them to see the Light, till they had been first perused by some Eminent Physicians of his Acquaintance; to whom he was pleased to commit the Supervisal of his Medicinal Receipts, both Galenical *and* Chymical. *This*

This Century *bears the Name of* Parable Receipts; *because they may be easily procured and prepared by Country People, as their respective Diseases do require.*

What comes forth in the Name of Mr. Boyle, *and is genuinly* His, *needs no farther Recommendation.*

His Ipse Dixit *is sufficient, and such are these Præscripts, as being found*

among his many other Papers of like Import, which in time may be Published also.

I shall therefore only recommend them, and their Success to the Blessing of God, the alone Giver, Preserver and Restorer of Health.

J. W.

THE

THE INDEX.

A

	Page
After-birth to bring away	10.
Ague to prevent or Cure 13. 14.	81
Agues Tertian	14
Ague	30. 44
Aching of a hollow Tooth	36
Apoplectic Fits	50
Asmatic Distempers	43. 86
Aqua Opthalmica	62

B

	Page
Body bound, to looſen	35. 83
Biting of a Viper	29
Blood-ſhot Eyes	6. 80
Blood to ſtench	11. 55. 57. 88
Burns	16. 55. 88
Burns recent	20
Breath ſhortneſs	31
Blood to ſweeten	33
Bloody Flux	4. 36. 56. 56. 79
Belly Fluxes	53
Blood Cleanſing by Troches of Vipers	67
Burn or Scald in the Eye	7
Bruiſe of the Eye	46. 93

C

	Page
Cataract beginning	74
Cold newly taken, a good Medicine	1
Corns, a try'd Medicine	11. 54. 87
Cholic	15
Cholic, a simple Remedy	18
Costiveness	35. 83
Convulsive Fits	51
Cholic, a Medicine	66
Cinamon drink for Gripes	37
Courses to provoke	39
Contusion of the Eye	46. 69. 70

D

	Page
Dropsy	5. 80
Dentrifite Innocent	7. 81
Distempers of the Genus Nervosum	9

Dead

Dead Child to bring away 10
Defluxions of Rheum 12
Deafnes 15
Drink for the Scurvy 20
Drink for the Kings Evil 24. 82
Dysentery 4. 36. 56. 56
Dysenteric Fluxes 56
Defluxion in the Eyes 72
Dry Inflammation 76

E

Page
EYes that are foul, a good Water 2. 62
Eyes Inflamed 6. 23. 38. 42. 58. 80. 85
Eyes Burnt or Scald 7
Electuary, Purging 22
Eryſipelas 47. 86
Eye-Water, by a Famous French *Man* 60
Eye-Water, a Caution about the Vitriolate 69
Eye-Water famous 90

Eyes

Eyes red 38. 58. 77. 85. 89.
Eyes to Strengthen, subject to Rheums 72. 91
Eye-Lids sore 74
Eye bruised 46. 69. 70
Eyes dry 63
Eyes with hot and sharp humours 73
Eyes pained 75

F

Page
Films of the Eyes 71. 93
Fluxes of the Belly 4. 37. 53. 79. 84
Fits of a Furor Uterinus 19
Fits of the Head ach 32
Fluor-Albus *in Women* 48
Fumigation for pains in the Eyes, and over-great Driness, and when one fears the beginning of a Cataract 74
Fits of the Mother 9. 65
Furor Uterinus to cure 19

G

	Page
Gravel to Expel	25. 83
Gleetings, a good Liquor	28
Gripes and Fluxes	37. 84
Gonorrhæa	45
Gums to fasten and help	8
Gums Scorbutick	68. 92

H

	Page
Head to clear	3
Head-ach	17. 31
Hiccup in Fevers	ibid.
Hordeum *on the Eye-Lids*	42
Hysterick Affections	9
Humours hot and sharp in the Eyes	73

Inflam-

I

Page
Inflamation of the Eyes 23.42.80
Itch, a good Medicine 33
Inflammation dry 75

K

Page
Kings-Evil, a useful Drink 24. 82. 94
Kings-Evil, an approved Remedy 26

L

Page
Leprosy, a Specifick 16

Medi-

M

Page

Medicine for the Dropsie 5
Medicine for Hysterical Affections 9
Medicine for Genus Nervosum ibid.
Medicine to cleanse the Womb 18
Medicine for the Tooth-ach 21
Menses *suppressed* 39
Medicine to kill Tetters 44
Medicine to prevent Dryness, and some other Disaffections of the Eyes 64
Medicine for the Stone, by a Famous Emperic 64
Medicine for Fits of the Mother 9. 65
Medicine for the Chelic 66
Medicine for Scorbutic Gums, and to fasten the Teeth 68. 92

Medi-

Medicine for a Stroke or Contusion of the Eyes 69
Another excellent Medicine for a Bruise in the Eye 70

O

Page
OCulorum *Propter gravedinem & dolorem* 75

P

Page
Pain of the Teeth, from Rheum 3. 36
Pain in the Eyes 75
Plaister preferr'd to the Soap Plaister 28
Pericarpium for Agues 14
Pleurisie 36. 56
Piles 52

Plaister

Plaiſter to ſtrengthen the Eyes and ſtop Defluxions 72
Pouder Styptick 11
Purging Electuary for Children 22

R

Page
Relaxation of the Uvula 59
Redneſs of the Eyes 38. 58. 77. 85. 89
Remedy for an Ague 13. 30. 44
Rheums a powerful Medicine 12. 60
Remedy to take off Films, and ſuch like things from the Eyes 71. 93
Remedy for ſharp and hot Humours in the Eyes 73
Rheumatick pain of the Teeth 3
Running of the Reins to cure 45
Rheums to ſtop 60
Running of the Eyes 72. 73. 91

S

	Page
Soap Plaister for the Gout	28
Sight to strengthen	19
Scurvey beginning	20
Stone in the Bladder	21
Strains Recent	41. 85
Sternutatory to clear the Head	3
Shortness of Breath	31
Scrophulous Ulcers	40
Sores and Ulcers	49
Scorbutick Gums	68. 92
Stroke of the Eyes	46. 93
Sleep wanting	50
Stenching of Blood	11. 55. 57. 88
Stone a famous Medicine	64. 91. 95
Stoppage of Urine	25. 30

T

	Page
Terms to provoke	39
Teeth to fasten	8. 92
Tumours, a Fomentation	ibid.
Tooth-ach	12. 21. 27. 36
Tooth Hollow	27. 36
Teeth to fasten	68
Tumors from sharp Humours	8
Tettars to kill	44

U

	Page
Urine to provoke	25. 83
Viper Biting	29
Urine suppress	25. 30
Vapours of the Spleen	31
Ulcers, an excellent Medicine	34
Ulcers Scrophulous	40
Uvula relax'd	59. 89

Ulcers and Sores 49
Vitriolate Eye-water 69

W

Page
WEakneſs to help 67
Womb-Madneſs to cure 19
Womb to cleanſe 18
Womb of a Puerpera, to cleanſe 10
Wounds Green to heal 39
Whites in Women 48. 87

These following BOOKS, *Published by the Honourable Author, and Printed for* J. Taylor *at the* Ship *in St.* Paul's *Church-Yard.*

1. A Free Inquiry into the vulgarly receiv'd Notion of Nature.

2. A Disquisition about the final Causes of natural things, with Observations about vitiated Sight.

3. The Martyrdom of *Theodora* and *Didymus*.

4. The Christian *Virtuoso*.

5. *Experimenta & Observationes Physicæ*, with a Collection of strange Reports.

6. A Natural History of a Country, great and small, for the Use of Travellers and Navigators.

7. His Seraphick Love.

Books

DR. *Salmon*'s Practical Physick.
Dr. *Tworth*'s new Art of Brewing.
—His whole Art of Distillation.
Logick, or the Art of Thinking.
Lord Viscount *Shandon*'s Moral Essays.
—His Characters and Discourses.
— His Letter to an Atheist Acquaintance.
Dr. *Salmon*'s, with Dr. *Sydenham*'s and Monsieur *Blanchard*'s new Method of curing the French Disease.
Love's whole Art of Surveying.
Strodes's easy Method for the Art of Dyalling.
Plutarch's Morals, 5 Vol. english'd by several Hands.
Culpepper's Directory for Midwives.
Kirkwood's new Family-Book, with an Epistle by Dr. *Horneck*.
Abbady's Truth of the Christian Religion english'd.
Gouge's Words to Saints and Sinners.
——His Christian Directions.
Counsellor *Manner*'s Legacy to his Son.
Ryder's new Practice of Surgery.
Evelyn's French Gardiner, with Cuts.
Gilbert's Florists Vade mecum.

Bax-

Books printed for J. Taylor.

Baxter's Call to the Unconverted.
Osborn's Works, Divine, Moral, Hiſtorical and Political.
Virgilius Notis Minelii.
Quintilian's Declamations, engliſh.
Legrand's *Hiſtoria ſacra.*
Newton's compleat Arithmetician.
The Modern Courtier.
Miracles perform'd by Money, a Poem.
The Humours of a Coffee-houſe, a Poem.
Foxes and Firebrands.
A Defence of their Majeſties King *William* and Queen *Mary.*
Strode of Combinations, *&c.*
The Swordſman's *Vade mecum*, by Sir *William Hope.*
Dyer's Works.
Vanity of the Creature.
Publick Devotion, by Mr. *Camfield.*

A

A Collection of Choice and Safe Remedies.

VOL. III.

1. *A good Medicine for a newly taken, though violent, Cold.*

TAke about four Ounces of Spring-water, and in a convenient Veſſel, put to it three Leaves of good Tuſſilago (Colts-foot) and a pugil of Maiden-hair, and a Stick of Liquoriſh, for bigneſs and length, like the furtheſt Joynt of the Little-finger; make the Water warm, and when 'tis ready to boil, put in the forementioned Ingredients, (the Liquoriſh being firſt ſlic'd and minc'd) cover the Pot well, let

it boil for a few walmes, then take it off the Fire, and having presently strain'd it, let the Patient drink it hot like Tea, he being already in Bed; do this three or four Nights consecutively, or till there be no more need of the Medicine.

---

2. *A good Water for Eyes that are foul, and pain'd by sharp Humours.*

TAke prepared Pearl and Coral, Ana one scruple, *Aloes Cabalina* finely pouder'd three grains, red Rose-water and Succory-water, Ana one ounce, mix them well; and if you would have the mixture stronger, put in a very few grains of *Trochisci Alh Rhasis* in very fine Pouder.

3. *A*

3. *A good Medicine for Pain of the Teeth that comes from Rheum.*

OF the Pouder of white Helebore, put into a clean Linen Rag like a Nodule, of about the bigneſs of the largeſt ſort of Peas, or ſomewhat greater, and let the Patient hold it between his Teeth, with his Head and Face ſomewhat inclined, that the Rheum may run freely out of his Mouth.

---

4. *An Experienced Sternutatory to clear the Head.*

LEt the Patient ſnuff up in the Morning faſting, a ſmall

Spoonful, or leſs, of the clarify'd Juice of Hædera terreſtris, i.e. Ground-Ivy, or of Beets, ſpitting out from time to time as much Liquor as comes into his Mouth.

---

5. *An often try'd Remedy for the Dyſentery and ſharp Fluxes of the Belly.*

GIve from fifteen to twenty grains of carefully made Mercurius Dulcis incorporated, with about two ounces of Catholicon, or elſe with about one ſcruple of toaſted or ſomewhat leſs of untoaſted Rhubarb.

See Numb. (1.)

6. A

6. *A good, though uncommon, Medicine for the Dropſie.*

TAke Virginian Snake-weed a ſufficient quantity, and having cut and ſlic'd it very ſmall, infuſe it into a competent quantity of good Sack till the Liquor be very ſtrongly impregnated with the Plant. Of this Infuſion let the Patient take three, four or five Spoonfuls at a time (or more if the caſe be urgent) when the Stomach is empty.

See Numb. (2.)

7. *An often Experienced Medicine for Blood-shot, or Inflamed Eyes.*

CUt a new-laid Egg boiled hard, into two halfs, (without taking out the Yelks) and apply one of these considerably warm, but not too hot, to the part affected, and keep it on for some hours (six or eight if it need so long.) *Note well,* To the same purpose, you may apply with good effect, a Poultis made of a rotten Apple, the cold being first quite taken off.

See Numb. (3.)

8. *An*

8. *An Excellent Remedy for a Burn or Scald in the Eye.*

TAke Mucilages of Quince-seed, Fleawort, Linseed and Fenugreek-seed, of each one scruple; boil it but very lightly in four ounces of Betony-water, filter it, and apply it to the Part.

---

9. *A good and innocent Dentrifice.*

TAke Mastich and Dragon's-blood, of each a sufficient quantity; pouder them, and mix them together, and let the Patient use them as a Dentrifice.

See Numb. (4.)

10. *To Correct the Laxity of the Gums, and fasten the Teeth.*

TO a Pint of Red or Claret Wine, take about two drams of Japan Earth, and having dissolv'd so much as you can, pour off the clear, and let the Patient wash his Mouth therewith from time to time.

---

11. *An uncommon, but effectual, Fomentation for Tumours accompany'd with sharp Humours.*

TO a Gallon of Spring-water, put as much dry'd Sage, as you judg will afford a Decoction strong enough of the Herb.

Herb. Into this, when it first grows hot, cast about two ounces or some drams of Castle-Soap, and let it dissolve there till your Decoction be compleated. With this and Stuphes, foment the part for a good while together.

---

12. *A rare Medicine for Hysterical Affections, and several Distempers of the Genus Nervosum.*

TAke one ounce, or a sufficient quantity of Volatile Salt of Harts-horn, (which need not be exactly pure) and drop on it as much Spirit of Tartar as will serve to satiate it, when the conflict is quite ceas'd. Digest the mixture for a while,

that it may acquire a red Colour, and keep it carefully ſtopt for Uſe, and give four or five drops twice a day in any convenient Vehicle.

---

13. *An often prov'd Remedy to bring away what is or ſhould not be left in the Womb of a Puerpera, though it were part of a Dead Child.*

WIth the Juice of Sheeps Sorrel, and ſome of the ſtrong infuſion of the ſame Herb (unpreſs'd) in Water, and a ſufficient quantity of Sugar, make a Syrup: Of which let the Patient take about a Spoonful (a little more or leſs as need may require) twice or thrice a day.

14. *A try'd Medicine to take away Corns.*

THe parts being made ſoft with Bathing, and ſcrap'd, apply to the Corn a Plaiſter of Shoe-maker's-wax; but if the part be very tender, your Plaiſter may conſiſt of equal parts of Shoe-maker's-wax and Diapalma melted together and ſpread ſomewhat thin.

---

15. *To make an Excellent Styptic Pouder to ſtench Blood.*

TAke of White Sugar-Candy, Roach-Allom burnt (but not too much calcin'd) and white Vitriol,

Vitriol, and pulverize them exceeding well, and mix them diligently; and having dip'd Plagets of Flax or Lint, moistened with the White of an Egg into this Pouder, apply them to the Orifices of the Bleeding parts. *Note well*, 'twill do very well after the dry Ingredients are mix'd, to grind them with as much Whites of Eggs beaten to water, as will make a Paste, which is afterwards to be throughly dry'd in the Air, and then again reduc'd to Pouder.

---

16. *For a Tooth-ach, proceeding from Defluxion or Rheum from the Gums.*

DIssolve one ounce of choice Japan Earth in a Pint at least of good Red or Claret Wine, and

and let the Patient hold in his Mouth often, and a good while together.

---

17. *To prevent the Fit of an Ague, or cure that Diſeaſe.*

TAke of the ſcraping or gratings of the Root of Angelica half a dram, and of the Flowers of Antimony, mix them well, and let the Patient take them at the uſual times.

Note here, *That the Flowers of Antimony are not to be given inwardly in Subſtance, but only in Infuſion; for in Subſtance they will hazard life, bringing firſt ſtrong Convulſions, and then Death: But you may make the Medicine thus.*

See Numb. (5.)

18. *To*

18. *To make an often try'd Pericarpium for Agues, especially Tertians.*

TAke a handful and a half of freſh Rue, half a handful of freſh Sage, a ſmall ſpoonful of Bay-ſalt, and a ſpoonful of good Vinegar. Beat all theſe very well together into an uniform Maſs; which divide into two parts, and make thereof two Wriſt Plaiſters to be apply'd at the uſual times before the Fit; and to be renewed, if there be Occaſion, to keep them on till they grow dry and troubleſom.

19. *For the Cholic.*

℞ ORange Peels dry'd till one may grate them to Pouder; and when they are pulverized, take about a ſpoonful of the Pouder at a time, mix'd with a little white Sugar to ſweeten it, in or before ſome ſpoonfuls of any convenient Vehicle.

---

20. *An approved Remedy for Preſent Deafneſs.*

TAke of the Breaſt Milk of a Woman that has had her firſt Male Child ſome time before, and drop three or four drops of it warm as it comes from the Nipple, into the part affected.

21. *A choice Medicine for Burns.*

TAke Gooſe-greaſe, (which the Country People call the Leaf of a Gooſe) and having ſoftly melted, and a little skim'd it, ſqueeze into it as much freſhly expreſt Juice of Ground-Ivy-Leaves, as by continual ſtirring, will bring it to the conſiſtence of a Green Oyntment. With this anoint the part it ſelf affected; and afterwards lay on it fine old Rags, well dipt in the ſame Ointment.

---

22. *An External Remedy, almoſt Specific for the Leproſie.*

TAke Pomatum one ounce, Flower of Sulphur one dram,

dram, Sal Prunellæ half an ounce, and having mixt them very well together, from time to time anoint the part affected therewith, as long as there is need.

---

23. *For the Head-ach.*

TAke green Hemlock, that is tender, and put it in your Socks, ſo that it may lie thinly between them and the Soles of your Feet; ſhift the Herb once a day.

---

24. *For the Hiccup (even in Fevers.)*

GIve two or three preſerved Dampſons at a time.

25. *A*

25. *A Simple Remedy for the Cholic.*

IN a Draught of any convenient Liquor, diſſolve about one dram of good Salt of Tartar, and let the Patient take it for one Doſe.

---

26. *An Experienced Medicine to cleanſe the VVomb.*

TAke a large white Onion, cut it into ſmall pieces, and boil it in about a pint of Water, or leſs, as if it were to be dreſſed for eating. And of this Decoction give ſeven or eight ounces for a doſe, mix'd with about half an ounce of freſh Oil of Walnuts.

27. *To appeaſe the Fits of a Furor. Uterinus.*

TAke the Feathers of Partridges (it matters not much from what part of the Fowl) and burn them for a competent time under the Patient's Noſe.

---

28. *A very good Syrup to ſtrengthen the Sight.*

TAke about a ſmall Spoonful of a Syrup made of Betony-water and Honey, twice, thrice or four times a day.

29. *An*

29. *An easily prepared, but useful Drink for a beginning Scurvy.*

TO a quart of Small-Beer (of six Shillings *per* Barrel) or Small-Ale, put over Night about a handful of Scurvy-grass-Leaves, and let the Patient drink this Liquor at *Dinner* for his ordinary drink for six or eight Weeks together.

---

30. *A Parable Remedy for recent Burns.*

APply as speedily as you can to the part affected an Onion, or more, (if the burnt place be large) beaten to a Mash.

31. *For*

31. *For the Tooth-ach.*

APply a Plaister of Caranna to that part that burns, between the bottom of the Ear and the Temples, on the same side where the Pulsation of the Artery is the most manifestly or strongly felt.

---

32. *An Excellent Medicine, tho not Curative, for those that are tormented with the Stone in the Bladder.*

TAke Pouder of Comfrey-Roots an ounce and half, Marsh-mallow-Roots three ounces, Liquorice Pouder two drams, Seeds of Daucus of Creet two drams; Seeds of Purslane, of Winter

ter Cherries, of each half a dram; Nutmegs two drams, Saffron one dram; the Species Diamargariton frigid, six drams; Syrup of Marshmallows four ounces; mix and make a soft Electuary: of which let the Sick daily take the quantity of a Walnut. It is profitable against the Stone in the Reins and Bladder, but chiefly against the latter; as also against the Strangury, Dysuria, *&c.*

---

33. *To make a Purging Electuary, especially for Children.*

TAke an Ounce of choice Rhubarb reduc'd to fine Pouder, and eight ounces of very good Currans, pick'd, wash'd and rub'd dry; beat these together in a Glass or Marble Mortar for near two

two hours. Of this Electuary, let the Patient take about the bigneſs of a ſmall or a large Cheſnut in the Morning faſting, and if need be at Bed-time. If the caſe be very urgent, the Medicine may be taken thrice in twenty four hours.

---

34. *An excellent Remedy for an Inflammation of the Eyes.*

TAke a Pippin (or other Apple) cut it into two halfs, take out all the Core of each of them, fill up the Cavities with the tender tops of common Wormwood, tie the halfs together, and roaſt the Apple well. Then beat it and the Herb together to a kind of Poultis, and apply it warm (but not hot) to the part affected, and bind

bind it thereon, letting it lie all Night, or if you uſe it in the Day time, for ſix or eight hours.

---

35. *An uſeful Drink for the Kings-Evil, and ſome Affections that have the like Cauſes to it.*

TAke a large handful (or two little Phyſical handfuls) of the Leaves of Ground-Ivy, green, or (if the Seaſon denies you them) well dry'd, waſh off the Duſt with Beer, (not Water) and put the Herb into a Gallon of Ale-wort; when 'tis ripe for drinking, draw it out into Bottles, and let the Patient take a draught of it twice or thrice a day, or if it be thought fit, he may uſe it at Meals.

See Numb. (6.)

36. *An*

36. *An often experienc'd Remedy to expel Gravel, and provoke ſuppreſt Urin.*

KIll a black Cock or Hen, (rather than one of any other colour) take out the thick Membrane or Skin that lines the Gizzard or Stomach, and having wip'd it clean, dry it cautiouſly, ſo as it may be beaten to pouder: With this mix an equal part, or half ſo much of choice red Coral calcin'd. Of this mixture, give from twenty or thirty Grains to forty or fifty Grains.

See Numb. (7.)

37. *An approved Remedy for the Kings-Evil.*

SEt a quart of new Milk on the Fire till it juſt boils up, then take it off, and put into it two ſpoonfuls of the beſt Honey, and ſtir it till it be diſſolved: And then ſet it on the Fire again, and let it boil two or three walms: Then divide it into four parts, and drink one part warm early in the Morning, another about ten of the Clock, another about four in the Afternoon, and the laſt a little before Bed-time. Do this daily for two or three Months, except you purge, which muſt be once a Week, taking (if a grown Man) three quarters of an ounce of Caryo-coſtinum diſſolved in Poſſet-drink: Dreſs the Sores if they run, with any drawing

ing Sear-cloth, or a Plaister of *Burgundy-Pitch*. The Medicine, though not very promising, is very famous, by the many Cures done with it, by a charitable Lady, of whose Ingenious Chaplain I procur'd it.

---

38. *A good Composition to stop a hollow Tooth, and appease the Pain.*

TAke two parts of fine Sugar, (that of *Lisbon* does best) and one part of black round Pepper, both finely pouder'd and mixt; put them into a Silver spoon over two or three well-kindled Coals; and when the Sugar begins to melt, take off the Spoon, and whilst the mixture is yet soft,

form it into little grains for ſize and ſhape, ſuted to the part affected.

---

39. *A Plaiſter prefer'd by an old Phyſician, that often try'd it, to the common Soap Plaiſter.*

MIx about one dram of Caſtle-Soap, with one ounce of Diachylum, and make thereof a thin Plaiſter, to be worn upon the part affected.

---

40. *An Excellent Liquor to be uſed Topically in Gleetings.*

TAke four ounces of Spring-Water [or Plantane-Water]

 and

and dissolve in it about one scruple of the Sympathetic-Pouder, or so much as will give it a sensible, yet but faint, Vitriol-like taste: And of this mixture, inject as much as is usual of a small Syringe, every Morning and Evening, as long as need require, directing the Patient to retain the injected Liquor as long as conveniently he can.

---

41. *An approved Medicine in the biting of a Viper.*

TAke of white Horehound, and apply the Plant, well beaten into the form of a Poultis, to the part affected, and give the Patient a spoonful or two of the Juice of the same Herb to drink: 'Tis also very good for the Jaundice.

42. *An almoſt ſpecific Medicine for the ſuppreſſion of Urin.*

TAke of *Stœchas Citrina* (in *Engliſh*, French Lavender) and infuſe in a good heat, two handful of the Flowers in a pint of good Brandy, (not rectify'd Spirit of Wine) and of this infuſion, give about a ſmall Wine-glaſs-full at a time [diluted, if there be great need, with a ſufficient quantity of ſome appropriated Liquor.]

---

43. *For an Ague often try'd.*

BOil Yarrow [*Mille-folium*] in new Milk, till it be tender enough to have a Cataplaſm made of it. Apply this to the Patient's

Patient's Wrists, just when the cold Fit is coming on, and let it lie on the parts till the Fit be gone; and if another Fit comes, use fresh Cataplasms as before.

---

44. *An useful Plaister for those that are troubled with Vapours of the Spleen, and shortness of Breath, when 'tis a Nervous Affection.*

TAke two parts of strain'd *Galbanum*, and one part of *Asafœtida*, and make thereof, according to Art, a Plaister of about the bigness of the Palm of one's Hand, taking care to leave a broad Edg quite round, to prevent its sticking to one's Linen and putting a pretty large piece of Cotton

in the middle, that the Gums may not touch the Navel; to which the Plaister is to be apply'd.

---

45. *A slight, but excellent, Medicine to take off Fits of the Head-ach.*

TAke about a handful of fresh Rosemary, and boil it for a pretty while in a quart of common Water, then almost fill with it a pint Pot [or rather a Mug] let the Patient cover his Head and Face with a Napkin, so that he may receive the Steam as hot as he can well bear, and keep the Vessel there as long as he finds the Steam strong enough.

46. *An*

46. *An easie and try'd Medicine for the Itch,* Præniſſis Univerſalibus.

BOil four Ounces of clean Quick-ſilver in about a Gallon and a half of Spring-water, and let the Patient take of this between a quarter and half a pint at a time, aromatizing it if he pleaſes with a little Lemon-peel.

---

47. *An easie Medicine to purify and ſweeten the Blood.*

TAke the *Minera* of *Hungarian,* or other choice Antimony, and having ground it to very fine Pouder, without ſuffe-

ring it to touch any Metal, give of this dry Alcohole from ten Grains to a Dram, giving it once a day, and (unleſs ſome particular reaſon diſſwade that time) let it be at Dinner, that it may mingle with the Patient's Meat in his Stomach.

---

48. *A cheap, but excellent, Medicine for Ulcers.*

TAke one dram at leaſt of Corroſive Sublimate finely pouder'd, diſſolve it in a quart of fair Water, and let it lie there, if you have leiſure, four or five days (in a light Digeſtion) that it may be throughly diſſolved. Then drop in it as much Spirit of Sal-Armoniac, or as much Oyl of Tartar, *per deliquium*, as will precipitate

cipitate it all: Then filter it carefully, and keep it ſtop'd for uſe, which is to imbibe Dorſels or Plagets with it, and apply them to the Ulcer twice or thrice a day.

---

49. *An eaſie and innocent Medicine for Coſtiveneſs.*

BOil in as much Broth as will ſerve to fill a large Poringer, about half a handful of the Leaves of common Mallows chop'd, and of this Broth (being ſtrained) let the Patient make the firſt part of his Meal.

See Numb. (8.)

50. *For*

50. *For the Aching of a hollow Tooth.*

TAke Oil of Wax, and with it moiſten well a little Cotton, and thruſt it up into the hollow Tooth, letting it lie there till the pain be ſufficiently aſſwag'd.

---

51. *An often try'd Medicine for the Bloody-Flux, being good alſo for Pleuriſies.*

GIve the weight of an Eſcu D'or (or near one dram) of the Seed of Sophia Chirurgorum, in *Engliſh* Flax-ſeed, in two or three ſpoonfuls of any convenient vehicle once or twice a day.

52. *The Cinamon Drink, good in Gripes and Fluxes, &c.*

TAke two ounces of calcin'd Hart's-horn, pouder it, and boil it in three pints of Spring-water, till a pint be wasted; then take it off the Fire, and infuse in it, an ounce and half of good Cinamon, setting it upon Embers in a cover'd Vessel for about an hour. Then sweeten it with Sugar to your Palat, and drink about a quarter of a pint at a time. If taken for prevention only, a fourth part of the Cinamon will serve the turn.

See Numb. (9.)

53. *An easie, but useful Medicine for redness of the Eyes.*

TAke a Blanch'd Almond, and about three Grains of Camphire, and in a Glass or a Marble Mortar, incorporate them by wary grinding; and then add to them little by little two or three ounces of red Rose-water, still grinding them till the whole be brought to a kind of Emulsion. Drop a little of this into the part affected.

See Numb. (10.)

54. *A moſt excellent Balſam for any green Wound, of what Nature ſoever.*

OYl of St. *John's-wort*, and *Venice*-Turpentine, of each a like quantity, ſet them over the Fire in a gentle heat, half an hour or leſs, that they may incorporate. Then put them up, and keep it for uſe as one of the beſt of Balſams.

---

55. *A good Medicine for ſuppreſſion of the* Menſes.

GIve for three Mornings together, about the expected time of the Monthly Evacuation, a dram or dram and half or thereabouts

abouts of the Gauls and Livers of Eels dry'd and made into Pouder.

---

56. *An experienced Remedy to prevent Apoplectic Fits.*

MAke at the crossing of the Sutures and Issue with Diapalma, and Oil of Vitriol, and keep it open the ordinary way.

---

57. *To dry up, or correct the Humour that makes Scrophulous Ulcers.*

TAke of the Bone of the Cuttle-fish, and having reduc'd it to an impalpable Pouder, give about one dram of it at a time in any convenient vehicle. 58. *An*

58. *An effectual Medicine for a recent Strain.*

TAke a handful of Worm-wood-Leaves, and boil them in ſtrong Ale, till the Conſumption of about a third, that you may reduce them to the Form of a Cataplaſm, which when you take from the Fire, you muſt ſtrengthen by putting into it two or at moſt three of Brandy, and apply it very warm, renewing it, if need be, in twenty four hours at leaſt.

See Numb. (11.)

59. *For*

59. *For a ſlight Inflammation of the Eyes, as alſo a* Hordeum *growing on the Eye-lid.*

TAke freſh Houſleek, and having pouder'd it very well to a kind of Cataplaſm, cover as much as is needful of it (for example ſake, to the thickneſs of a half-Crown, or a Crown-piece) in the fold of a Rag or Linen-cloth, that may be ſo apply'd that the Cataplaſm may reach the Eye, and the reſt of the Cloth be faſtned about the Patient's Head. Let the Medicine lie on all Night, and be taken off the next Morning. Repeat this Application two or three times, in caſe there be need.

60. *For*

60. *For moſt Aſtmatic Diſtempers.*

TAke of the Roots of Elecampain, thinly ſlic'd, one ounce, of the Leaves of Ground-Ivy, a good handful. Boil theſe in three pints of Spring-water to a quart, then ſtrain the Decoction, ſweeten it with a little live Honey, and let the Patient take it five, ſix or ſeven ſpoonfuls at a time. (*Note well*, Remember the efficacy of Saffron in the ſame Diſeaſe, as 'tis commended by Mr. *Ray*, in his Catalogue of Plants.)

See Numb. (12.)

61. *For an Ague.*

TAke of the Bone, call'd Patella, of the Knee of a dead Man, and having reduc'd it to fine Pouder, give of it as much as will lie upon a Groat or a Six-pence for one Doſe, in any proper Conſerve or fit Vehicle, at a convenient time (before the cold Fit.)

---

62. *An experienced Medicine to kill Tetters.*

TAke of Flowers of Brimſtone, Ginger and Burnt-allum, of each alike, mingle them well, and of this mixture, incorporate as much with new unſalted Butter, as is requiſite to bring it to the conſiſtence

consistence of an Unguent. With this anoint the part affected, as hot as the Patient can well endure it, and let it stay on all Night; and the next Morning wash it off with Celandine-water. But when the Patient goes to Bed, he is to take a Dose of some Alexipharmacal Medicine, as *Gascon*'s Pouder, Treacle, *&c.* to keep the Humour from being driven into the Mass of Blood: He is also to bathe the part oftentimes in a day with the Celandine-water.

---

63. *To make a good Pouder for a* Gonorrhæa.

TAke of choice red Coral, and of Mastich, equal parts, reduce them separately to fine Pouder.

Powder. Mingle them very well, and of this mixture, give about thirty or forty Grains for one Doſe.

---

64. *A choice Medicine for a ſlight Stroke or Bruiſe of the Eye.*

TAke two ſpoonfuls of Fennel-water, or of Betony-water, and drop into it three or four drops (or five at moſt) of good clarify'd Honey: ſhake them well together, and uſe them twice or thrice a day. But you muſt have a care to make this mixture freſh once in four, or at moſt in five days, eſpecially in Summer; for if it be longer kept, 'twill be apt to grow ſowr.

65. *An often try'd external Medicine for an Eryſipelas.*

TAke the Blood of a Hare, ('tis beſt if kill'd by Hunting in *March*) and if you can have it freſh, anoint the part affected with it, otherwiſe apply on it a Linen Rag that has (though a good while ago) throughly imbib'd the freſh Blood of that Animal, and dry'd in the Air. But if the imbued Linen be too hard or ſtiff, it muſt be ſoftned with a little fair water, and then the cold taken off, apply'd to, and bound upon the part.

See Numb. (13.)

66. *An Emperics, much boaſted Remedy for the* Fluor Albus, *or Whites in Women.*

MAke a ſtrong Decoction of the Herb Alchymilla (in *Engliſh*, Ladies-Mantle,) and let the Patient drink of it about half a pint every Morning faſting; and if the caſe be urgent, make an Injection of the ſame Plant, boil'd till it be very tender, and let the Patient make uſe of it from time to time.

See Numb. (14.)

67. *An*

67. *An excellent Water for Ulcers and Sores [try'd with great Succeſs.]*

TO a quart of Spring-water, take one dram of Mercury ſublimate finely pouder'd; and when 'tis quite diſſolved, drop into the Solution, either Spirit of Sal Armoniac (which is beſt) or Oil of Tartar per Deliquium, till you ſee that no more will manifeſtly precipitate. This done, filter the mixture through Cap-paper, and reſerve the Precipitate for other uſes. The Liquor that paſſes, you muſt keep cloſe ſtopt in a Glaſs-Viol; and when you will uſe it, you muſt dip Linen Rags in it, and being throughly wetted, apply them to the part affected; ſingle, or doubled, more

or less, as need requires. This Application may be renewed twice, or (if the case be urgent) thrice a day.

---

68. *An experienced Medicine for want of Sleep, proceeding from great Heats of the Head.*

TAke the palest Carrots you can get, and scrape a sufficient quantity of them to afford scrapings enough to make a Cataplasm of about two Fingers or two Inches broad, and of the thickness of a Half-crown piece of Silver, or thereabouts. Let the Patient apply this in a piece of doubled [Linen] to his Throat, so that it may reach to the Jugular Vessels

Veſſels on each ſide, when he goes to Bed, and let it lie on all Night (for it will not eaſily grow dry,) if the firſt Application do not prevail, 'tis to be apply'd the following Night; and ſo a third and fourth time, if need require.

---

69. *A Parable Medicine that has cured very many, eſpecially Children, and young Boys and Girls, of Convulſive Fits.*

TAke of the Pouder (whether made by Filing, Raſping, or otherwiſe) of the ſound Skull of a Dead Man, and give of it about as much as will lie upon a Groat, made up into a *Bolus* with Conſerve of Roſemary-Flowers

(or any other that is proper) to a young Boy or Girl : But in Perſons more Aged and Strong, the Doſe of the Pouder muſt be augmented to double the quantity. The Medicine muſt be given often, if neceſſity requires it : If the Patient be a Child, 'twill be uſeful to apply to his Throat, a kind of Necklace, made of the Roots of *Vervain* cut into Beads.

---

70. *An eaſie, and experienc'd Remedy for the Piles.*

IN four ounces of Spring-water, diſſolve about one dram of Salt of Tartar, or as much as will give the Liquor a manifeſt, but not ſtrong Alcaliſate taſte, and apply ſoft Rags dip'd in luke-warm or ſome-

ſomewhat more to the part affected, ſhifting it from time to time.

---

71. *A ſucceſsful Medicine for Fluxes of the Belly.*

TAke Rice-Meal, and mix with it about a fifth part of finely pouder'd and ſifted Chalk, boil theſe in Water, or which is better, if it agrees with the Patient, in Milk, and make thereof a haſty Pudding, to be moderately ſeaſon'd with Sugar and pouder'd Cinamon; and let the Patient eat it at Meals, and if need be at ſome other times.

72. *An often try'd Remedy for Corns.*

TAke the Juice of Houſleek, and mix it up with about equal parts of the thick Balm or Yeſt, that ſticks to the Barrel or to the Clay that ſtops it. Of theſe make a kind of Plaiſter, which being kept upon the Toe for a while, and then if need be, renew'd, will make the Corn very ſoft and eaſie to be drawn out and extirpated.

See Numb. (15.)

73. *A good Medicine for Burns and Stenching of Blood.*

DIſſolve in Spring-water, or which is better Rain-water, as much Sugar as will make it a ſtrong Solution; and then with a ſufficient quantity of Linſeed-Oil, or Oil of Olives, beat up this Liquor till the Oil on it be brought to the conſiſtence of an Unguent, with which anoint the part affected, as timely as you can, renewing the Application as often as need ſhall require.

See Numb. (16.)

74. *An approved Medicine for the Bloody-Flux, being good also for Pleurisies.*

GIve two or three scruples of Hare's Blood beaten to Pouder for one Dose, to be taken in a spoonful or two or three of Mint-water, or any other fit Vehicle.

---

75. *A very often (though homely) experienc'd Remedy for Dysenteric and other Fluxes.*

TAke the fresh Dung of a Hog, (and if you can, whil'st 'tis yet warm) and boil in

in a Poringer full of new Milk, as much of it as may amount to the bigneſs of a Wal-nut; and alſo an equal quantity of fine Mutton Suet ſlic'd very thin: When theſe are well incorporated with the Milk, ſtrain them well through a clean Linen cloth; and if there be need, ſweeten them a little with Loaf-Sugar: Let the Patient take this warm, once or twice a day.

---

76. *A powerful Styptic to ſtench Blood, where it can be apply'd.*

TAke the fine Pouder of *Lapis Hæmatites*, made by grinding it exactly well with an equal or double weight of *Sal Armoniac*:

And of this high-colour'd Sublimate, put a little upon the Orifice of the Veſſel.

---

77. For a ſlight Redneſs of the Eyes.

TAke of French Barley half an ounce, and Damask Roſes half an handful. Boil them but very little in a pint of Spring-water, and with this moiſten the part affected.

See Numb. (17.)

78. *For the Relaxation of the Uvula.*

TAke blewiſh Peaſe (or in want of them, white ones) and chew them very well, ſo as to reduce them to the conſiſtence of a Poultis. Lay this warm upon the Crown of the Head, to the breadth and thickneſs of a Five-ſhilling-piece of Silver, or ſomewhat larger, ſhifting it in the Morning, and at Bed-time.

See Numb. (18.)

79. *A powerful Medicine to ſtop ſharp Rheums.*

TAke a Dram of ***Catechu,*** or Japan Earth, and make thereof a Decoction in five or ſix ounces of good White-wine, or elſe of ſome Diſtill'd Water, or other Liquor appropriated to the Diſeaſe. Of this, give two or three ſpoonfuls at Night, and in the Morning as much alſo if need require.

---

80. *The French-Man's Famous Eye-Water.*

TAke two or three ounces of the Water of Simple Pimpernel, diſtill'd in Balneo, and

and put this into a little Pot or Poringer of Roſe-Copper; then put into it, about the bigneſs of a Hazel-nut, or a Filbert, of ſtrong Quick-lime: Cover the Pot, and let the Ingredients lie in it till the Liquor hath acquired a blewiſh colour. Then very warily pour off tke clear, and add to it as much live Honey, as will give a little, or but little, Taſte: Uſe it after the wonted manner of ſuch Waters; and if you find it too ſtrong, dilate it a little with water of the ſame Plant, or good Spring-water, which for a need, may be uſed from firſt to laſt, inſtead of the Water of Pimpernel.

See Numb. (19.)

81. *Aq.*

81. *Eye-Water.*

TAke Red Roſe-water, Plantane-water, of each an ounce; Tutia prepared, half a ſcruple; Lapis Lazuli prepared, ſix grains; red Coral prepared, five grains; mix and make a Collyrium or Eye-water.

This drop'd into the Eyes, being firſt well ſhak'd, cures Inflammations of the Eyes, provided there be no great foulneſs, nor Scrophulous diſpoſition in the Patient. It takes off the redneſs of the Eye-lids, if with a Spunge dip'd in it, the Eye-lids be often wetted, it takes off Films very well.

82. *A safe and useful Medicine to prevent Dimness and some other Disaffections of the Eyes.*

TAke of choice Virgin-Honey, two spoonfuls, of Succory-water, or the distilled Water, of each four spoonfuls; mix them, and in a very clean Vessel over a very gentle Fire, let them evaporate (taking off from time to time any Scum that may arise) till the mixture be brought to the consistence of a Syrup [or of Honey] keep this in a Glass well stop'd, and make use of it, by letting fall a drop or two, or at most three of it, at a time, into the Eye.

See Numb. (20.)

83. *The*

83. *The Medicine of a Famous Empyric for the Stone.*

TAke Amber (clear and yellow) Sea-horſe Pizzle and Niter, of each a like quantity, (*Note well*, in caſe of Ulcerated Kidnies, put half the quantity of the Amber) and an eighth part of the Nitre (of Natural Balſam.) Pulverize each apart, and make them up into Pills with Chios (or at leaſt clean *Strasburgh* Turpentine) take five, ſix or ſeven Pills (of above ten to one ounce) Morning and Evening.

See Numb. (21.)

84. *An excellent Medicine for Fits of the Mother.*

TAke Sagapenum diſſolved in Vinegar of Squills, and ſtrained through a Sieve, and again inſpiſiated or thickned: Ammoniacum in like manner prepared: Steel prepared, Myrrh, Fecula of Bryony, of each half a Dram: Engliſh Saffron, Caſtoreum, of each a ſcruple: Borax two ſcruples: Syrup of Stæchas a ſufficient quantity; mix and make Pills of a convenient bigneſs to be ſwallowed; of which take three Morning and Night, with care.

85. *A choice Medicine for the Cholic.*

TAke clean white Chalk, and having dry'd it with a gentle heat, reduce it to fine Pouder; wet this Pouder with the expreſs'd Juice of Cammomil, and then let it dry in the Air, without the heat, either of the Fire, or of the Sun. This done, wet it again with new Juice of Cammomil, and dry it the ſecond time as before. Wet and dry it again the third time, and, if you pleaſe, the fourth time; and then reduce the dry Maſs to fine Pouder again. Of this Pouder, let the Patient take at a time, as much as will lie upon a Groat or a Six-pence, in ſome ſpoon-

ſuls

fuls of Wine, or other proper Vehicle.

---

86. *Troches of Vipers, ſucceſsfully uſed to cleanſe the Blood, and to ſtrengthen weak Patients.*

TAke of Vipers reduc'd to fine Pouder one ounce, Diaphoretic Antimony half an ounce, clear yellow Amber two drams, of Starch as much as of all the reſt, and of Sugar as much as of Starch; make them to a fine Paſte, with Spirit of Wine, and then make them into ſmall Cakes, whereof one may ſerve for a Doſe.

87. *An*

87. *An approved Medicine for Scorbutic Gums, and to faſten the Teeth.*

TAke of White-wine, a pint, of Alum half an ounce, of Juniper-berries and of red Sage ana one ounce: Boil theſe together till a quarter of the Liquor be waſted, then put into the remaining part four ounces of Honey, and let it boil till the Scum be all riſen; then filter it, and put into it one dram of *Balſamum Vitæ.*

See Numb. (22.)

88. *A Caution about the Vitriolate Eye-water.*

TAke four grains of *Roman Vitriol*, not more, to four ounces of Diſtilled Water, either of Roſes, Succory, Fennel, *&c.*

---

89. *A good Medicine for a light Stroke, or Contuſion of the Eye.*

TAke half an ounce of Celendine-water, and ſhake well into it, three or four drops of clarify'd Honey, and let fall of this into the Eye, a drop or two, twice or thrice a day.

90. *An excellent Medicine for a Stroke or Bruise in the Eye.*

TAke of Betony-water and Hyssop-water, of each one ounce, and in their mixture, stir some Blades of Saffron, till the Liquor be pretty well colour'd, and no more. And lastly, add to it four or five drops of clarify'd Honey.

See Numb. (23.)

91. *An*

91. *An excellent Remedy to take off Films, and ſuch like things from the Eyes.*

TAke choice Bole-Armoniac, and reduce it to very fine Pouder, blow this gently into the Eye, once, or at moſt twice a day. But if the Patient be ſubject to, or fearful of, any ſwelling, heat, or diſaffection in the Eye-lids, incorporate the Pouder with a little clarify'd Honey.

See Numb. (24.)

92. *To*

92. *To strengthen weak Eyes subject to Rheums.*

TAke Lapis Calaminaris four ounces, Rose-water a pint, shake them well together two days. Then let it settle, pour off this Water into a little Viol, and drop of it in weak Eyes, two or three times a day, *&c.*

---

93. *A Plaister to strengthen the Eyes, and stop Defluctions on them.*

TAke of Frankincense two drams, Olibanum and Mastic ana half a dram; Mix these well, and reduce them into fine Pouder: Of which, a convenient quantity

quantity is to be melted and spread upon black Ribbon, or some such thing, with a hot Knife or Spatula, and so presently apply'd to the Temples.

---

94. *An experienced Remedy for sharp and hot Humours in the Eyes.*

INto a quart of new Milk already boiling, put about two handfuls or less of green Housleek, freshly gather'd, and chopt small, and let the Milk boil on till 'twill yield no more Curd. Then strain the green Posset-drink, and let the Patient take every day, once or twice a pint (or as near that quantity as he can well reach to) sweeten'd a little if need be

with fine Sugar. The drink may be best taken cold.

---

95. *An excellent Fumigation for Pains in the Eyes, and over-great drineſs of them, and when one fears the beginning of a Cataract.*

TAke of Fennel, Hyſop, Betony, Celandine, Carduus, of each half a handful, or a handful; of the Seeds of Linſeed, Quinces, Fenugreek, Fleawort, of each half a dram, of *French* Barley one ounce; Boil theſe in two quarts of fair water, and half a pint of White-wine: Let the Patient hold his Head over the Fumes for about a quarter of an hour every Morning.

96. *For*

96. *For Sore Eye-lids.*

TAke Crums of White-bread half an ounce; Coral, and Pearl prepared, Tutia, White-Sugar-candy, of each half a dram; Pouder of Red Roſes a dram and half; Flowers of St. John's-wort one dram: and with a ſufficient quantity of Milk make a Cataplaſm or Pultice, which ſpread upon linen Cloth, and bind it over the Eye.

---

97. *For Heavineſs and Pain in the Eyes.*

TAke Flowers of Melilot, of Elder, and of Marigolds, of each a ſmall handful; Linſeed,

Seeds of Fenugreek, Fleawort, Cumin, and Quinces of each half a ſcruple; French-Barley half an ounce; Damask Roſes half an ounce; Spring-water a pint and half: mix and make a Decoction with which foment the Forehead, Temples and Eye-brows, being ſufficiently warm.

---

98. *For a Dry Inflamation.*

TAke of Betony, Hyſop, Rue, Worm-wood, Vervain, as alſo of Sage-flowers and Roſemary-flowers, of each of all theſe, half a handful. (To which may be uſefully added Cumminſeeds, Fennel-ſeeds and Carduusſeeds, of each a quarter of an ounce.) Boil theſe a little in two or three quarts of fair Water, and

and then let the Patient hold his Head for about a quarter of an hour over the Steam of this Decoction, making uſe of a Napkin, to keep the Smoke from diſſipating, and direct it to his Eyes. A while after, he may put into them, if it be thought fit, a little clarify'd Honey.

FINIS.

Several neceſſary Notes, Explicating, Illuſtrating, or Enlarging ſome of the Heads in the Preceding Volume.

Numb. (1.) *For the Bloody Flux, or other Fluxes.* See Pag. 4.

TAke Japan Earth, Pouder of Rhubarb, of each equal parts: of which give half a dram at a time every Morning faſting.

Numb. (2.) *A good Medicine for the Dropſie.* See p. 5.

NOte, An Infuſion of Mechoacan in White-wine, (an Ounce and half thin-ſliced to a pint) being infuſed 24 hours, and drank off every Morning for ſome days, is a moſt admirable thing: and if a little Muſtard-ſeed be infuſed in it, it will be ſo much the better.

Numb. (3.) *A Medicine for Blood-ſhot, or inflamed Eyes.* See p. 6.

THere is no better a Remedy for inflamed Eyes, than to waſh them every day ſeveral times with this. Take Frog-ſpawn-water, a pint; Salt of Tartar,

,tar, a dram: mix and diſſolve, and waſh therewith.

Numb. (4.) *A good and innocent Dentrifice.* See p. 7.

BUt that which exceeds all, is a fine Pouder of Red Coral, with which you may rub them two or three times a day, and then waſh them with Water in which Sal Prunellæ is diſſolved.

Numb. (5.) *To prevent or cure an Ague.* See p. 13.

TAke gratings of Angelica Root, Flowers of Antimony, of each half a dram; choice Canary three ounces: Infuſe in a cold place

for one or two days, and pour off the clear for two Doſes: It is a ſingular good Vomit for the cure of Agues of all ſorts, being given in the Morning faſting 4 or 6 hours before the coming of the Fit; and if it be not a Quotidian Ague, then on the intermitting day.

Numb. (6.) *An uſeful Drink for the Kings-Evil.* See p. 24.

THere is no better thing in the World for the Kings-Evil than to give daily ſome ſpoonfuls of this following Liquor. Take White-wine a quart, Juice of Pellitory of the Wall a pint, Spirit of Wine half a pint, Sal Prunellæ an ounce: mix and diſſolve; then pour off the clear, and ſweeten with white Sugar:

Doſe

Doſe 6 ſpoonfuls Morning and Night.

Numb. (7.) *An Experienc'd Remedy to expel Gravel, and provoke Urin.* See p. 25.

TAke the Juice of Onions two ſpoonfuls; White-wine half a pint or more: mix them, for a draught it gives preſent eaſe; and if repeated for ſome time, in a ſhort ſeaſon cures.

Numb. (8.) *An eaſie Medicine for Coſtiveneſs.* See p. 35.

A Turpentine Clyſter thus made is admirable, to cauſe Stools in a very great Coſtiveneſs.

* Take

Take Strasburgh Turpentine an ounce, Yolk of one or two Eggs, grind them well together; then put thereto a pint of fat Mutton Broth, and exhibit it Blood-warm.

Numb. (9.) *A Remedy for Gripes and Fluxes.* See p. 37.

A Moſt excellent Remedy for Gripings, is a Tincture of Corn Poppy-flowers made with common Spirit of Wine: of this you may give from a ſpoonful to two ſpoonfuls, in Spirit of Opium half an ounce, mixt with Black-cherry water four ounces: This gives eaſe upon the ſpot.

Numb. (10.) *A Medicine for Redneſs of the Eyes.* See p. 38.

IF the redneſs be with a fierce hot Rheum, it is from weakneſs of the Eyes; and then the only Remedy is to waſh them twice or thrice a day with Brandy: there is no danger in it, nor will it ſmart much.

Numb. (11.) *An effectual Medicine for a Strain.* See p. 41.

TAke Comfrey-Roots beaten to a pulp, half a pound, Pouder of Japan Earth four ounces, Spirit of Wine a ſufficient quantity; mix, and apply it to the part.

Numb. (12.) *For most Asthmatic Distempers.* See p. 43.

TAke Juice of Hyssop, choice Honey, of each two pound: mix, boil, scum, and make a Syrup; of which, let the Sick take four spoonfuls or more, Morning, Noon, and Night.

Numb. (13.) *An external Medicine for an Erysipelas.* See p. 47.

THe Blood of almost any living Creature is found by many Experiments to be a Specifick against an Erysipelas, being often anointed on the affect, or Cloths dip'd in the same, being laid moist thereon.

Numb.

Numb. (14.) *A Remedy for the Whites in Women.* See p. 48.

THe beſt of Remedies in this caſe (after due purging) is to give two, three or four grains of Laudanum, and to inject three, four, or ſix times a day this water.

Take Spring-water two quarts, white Vitriol, Roch Allum, of each two ounces: being in Pouder, mix and diſſolve, let it ſettle, and uſe only the clear.

Numb. (15.) *A try'd Remedy for Corns.* See p. 54.

TAke Ammoniacum ſtrained, Emplaſtrum Diapalma, of each an ounce; Arcanum Coralinum half an ounce; white Precipitate

pitate two drams: mix them them well together, and apply it only over the Corn, being first cut as close as it conveniently can be.

Numb. (16.) *A Medicine for Burns and stenching of Blood.* See p. 55.

BUt for stenching of Blood, there are but few Medicines which exceed the Colcothar of Vitriol, whether wash'd and free'd from its Salt, or not wash'd: 'tis but a common thing, but will do more than a thousand much more enobled.

Numb.

Numb. (17.) *For a ſlight Redneſs of the Eyes.* See p. 58.

ONe of the beſt of Remedies againſt Redneſs and Inflammation of the Eyes, is often to waſh them with this Water: Take Frog-ſpawn-Water a pint, Common Spirit of Wine four ounces; mix them: waſh herewith five or ſix times a day; and at Bed-time apply over the ſore Eyes a Cataplaſm of a rotten Apple.

Numb. (18.) *For the Relaxation of the Uvula.* See p. 59.

THis common Medicine is found very ſucceſsful: The Throat being firſt gargled with Claret-wine, in which a little Roch

Roch Allum has been diſſolved, as hot as it can well be endured; then anoint it with this. Take Honey one ounce, Pouder of Elecampane two drams, Pepper in Pouder half a dram: mix them, and apply it thrice a day with your Finger.

Numb. (19.) *A famous Eye-Water.* See p. 61.

TAke Red Roſe-water a quart; Aloes in fine Pouder, half an ounce; white Vitriol, Vitrum Antimonii, Crocus Metalorum, of each ſix drams; mix and digeſt warm a Month: then uſe the clear water three or four times a day, it has ſcarcely any equal.

Numb.

Numb. (20.) *A Medicine to prevent Running of the Eyes.* See p. 63.

TAke White-wine half a pint, diſſolve in it white Vitriol two drams; filter or ſtrain, and therein diſſolve choice Honey two ounces: with this fill the Eyes two or three times a-day; it is good againſt moſt Diſtempers of the Eyes.

Numb. (21.) *A Medicine for the Stone.* See p. 64.

TAke Strasburgh Turpentine two ounces, grind it well with Yolks of Eggs, and then mix therewith this following Syrup. Take water a pint and half, Sal Prunellæ an ounce and half: mix and diſſolve, and with Honey a pound,

pound, boil it into a Syrup, which add to the former mixture. Doſe two or three ſpoonfuls Morning and Night.

Numb. (22.) *A Medicine for Scorbutick Gums, and to faſten the Teeth.* See p. 68.

THere is nothing faſtens the Teeth better than to waſh them with this mixture. Take Claret-wine a pint, Roch Allum half an ounce; mix and diſſolve, and then add thereto ſix ounces of a ſtrong Tincture of Japan Earth, made with common Brandy.

Numb.

Numb. (23.) *For a Stroke or Bruiſe in the Eye.* See p. 70.

TAke Celandine-water three ounces, Spirit of Saffron one ounce, mix them, with which waſh the Eyes ſeveral times a-day; and if the Eyes be very ſore, red, or blood-ſhot, after waſhing anoint them every time with a little pure Virgin Honey.

Numb. (24.) *An excellent Remedy to take off Films from the Eyes.*

TAke Pouder of Coral levigated one ounce, Pouder of Pearls levigated three drams, Crabs-Eyes levigated one dram, Virgin Honey two ounces; mix them,

them, and anoint four or five times a day, but chiefly Morning and Night.

Numb. (25.) *A Remedy for the Kings-Evil.*

TAke Roots of Pilewort a ſufficient quantity, bruiſe them, and boil them in Hog's Lard till they are Criſp, after which preſs them hard out; and boil in like manner as many more freſh Roots, and preſs out again, doing it the third time: then keep the Ointment for uſe to anoint with, Morning and Night.

Numb. (26.) *A Remedy for the Stone.*

GIve every Morning fasting, and every Night going to Bed, half a dram of the Pouder of Winter Cherries in a draught of Parsly or Arsmart-water, or in a Glass of White-wine.

FINIS.